

Used in stock **999**

Trainar[®]
○○○○○○



**4-axle semi lowbed extendable
GOLDHOFER**

DATA SHEET

GENERAL INFORMATION

Brand	GOLDHOFER
Type	STZ-L4 - 44/80A
Description	4-axle semi lowbed extendable
Year of manufacture	2010

ROLLING

Quantity axles	4
Steering axles	3
Rigid axles	1
Lift axle	1
Axle brand	BPW
Suspension	Air suspension
Brake type	Drum
Number of tires	16
Tire size	245/70 R17,5

WEIGHTS *(according original documentation)*


	80 km/h
King-Pin load	22.000
Axle load (4x10.000)	40.000
GVW	62.000
Deadweight	16.700
Payload	45.300

DIMENSIONS *(according original documentation)*

King-Pin height	1.270 mm
Total length (closed/extended)	14.600 / 17.100 mm
Extension	2500 mm
Total height	3.800 mm
Total width	2.750 - 3.450 mm
Axle distance	1.360 mm
Turning radius front	1.320 mm
Turning radius rear	2.500 mm

IMPORTANT DATA

- Front lifting axle.
- Bed width of 2.75 m.
- Central lubrication system
- Wide trough excavator: 4.415 mm length x 870 mm wide x 320 mm max depth (220 mm min depth).
- Reversible wheel wells.
- Hydraulic operation via tractor power take-off. Option to install electric or diesel motor (not included in the price).
- Wide and long two piece hydraulic ramps with hydraulic shifting.
- Hydraulic rear support legs.























Polígono Okiturri, parcela 4, Ctra. Nacional 1, salida 385
01207 San Román de San Millán - Álava (Spain)
+34 945 304720 - info@trainar.com

www.trainar.com



@trainarsemirremolques

Dealer in Spain and Portugal

Goldhofer